



Vertical Wire-to-Board 4 Position 1 Row 2.54mm (.1in) Centerline Silver (Ag) Sealable Printed Circuit Board AMP MCP Hybrids

Part Number:

TE-2366735-1







Basic Information			
Number of Positions	4		
Series	AMP		
Tcpn	2366735-1		
Product Description	2PORT, HYBRID, HDR ASSY, 180DE	G,COD A,COD B	
Connector System	Wire-to-Board		
Number of Rows	i de la companya de l		
PCB Mount Orientation	Vertical		
Keying Code	2		
Contact Type	Tab		
Connector Mounting Type	Board Mount	7	
Primary Product Color	Black		
Mating Alignment	With		
Connector Product Type	Connector Assembly		
Header Type	Fully Shrouded		
Mixed & Hybrid Header	No new ores		
Number of Signal Positions	4.0		
Mounting Holes	With	/	



Mechanical Specification	
Centerline (Pitch)	2.54 mm (.1 in)
Mating Tab Width (mm)	1.2
Mating Tab Thickness (mm)	0.6
PCB Mount Alignment	With

Material Specification	
Contact Mating Plating	Silver (Ag)
UL Flammability Rating	UL 94HB

Electrical Specification	
Connector & Contact Terminates To	Printed Circuit Board
Contact Current Rating (Max) (A)	1.0
Termination Method to PCB	Through Hole - Solder
PCB Mount Retention	With
Circuit Application	Signal

Environmental Specification	
Sealable	Yes
Shielded	No
Operating Temperature Range	-40 − 125 °C (-40 − 257 °F)
Packaging Method	Tray

Disclaimer

The information in this specification is subject to change without notice. Please confirm the latest version before use. Technical parameters are for reference only, and sufficient testing and verification should be conducted in actual applications.