


BNC Connector Right Angle Jack Panel Mount Through Hole - RHT-610-5019



Drawing



Basic Information

Connector Type	Jack
Fastening Type	Bayonet
Mounting Type	Panel Mount
Number of Ports	1
Orientation	Right Angle
Termination	Through Hole

Mechanical Specification

Connector Style	BNC Connector
Mount Feature	Bulkhead/Through Hole

Environmental Specification

Ingress Protection	IP65
Temperature Range	-45°C to +125°C

Material and Finish



Component Description	Material	Finish
Shell	Zinc Alloy	Nickel Plated
Insulator	Teflon White	
Center Contact	Copper	Gold Plated

Impedance Testing

Impedance	50 ohm
-----------	--------

Frequency & VSWR Test Report

Frequency Range	4 GHz
VSWR	1.5MAX



Contact Resistance Test

Contact Type

Female Pin




Working Voltage & Insulation Resistance Test

Working Voltage

500 V rms

Insulation Resistance

$\geq 5000 \text{ M}\Omega$



Version History

REV	Date	Revise Contents	Drafter	Approver
A.0	2026.7.9	The initial formulation	Esther	Joson

Disclaimer

The information in this specification is subject to change without notice. Please confirm the latest version before use. Technical parameters are for reference only, and sufficient testing and verification should be conducted in actual applications.