



Cable-to-Board / Cable-to-Cable Sealable 180° Cable Exit 1 Position J Code Housing for Female Terminals Data Connectivity Housings

Part Number:

TE-1802113-7







Number of Positions	1 💮		
Series Series	MATEnet		
Tcpn	1802113-7		
Product Description	1PORT, MATENET, REC HSG,	SLD,COD J,STP,ASSY	
Mixed & Hybrid Connector	No		
Connector System	Cable-to-Board Cable-to	o-Cable	
Number of Rows	1 /		
Keying Code	Ј авинство		
Connector Mounting Type	Cable Mount (Free-Hangir	ng)	
Primary Locking Feature	On the Terminal		
Connector & Housing Type	Housing for Female Termin	nals	
Snap-Lock	With	Macroc	

Mechanical Specification		
Centerline (Pitch)	1.8 mm (.071 in)	II) COTTEC
Connector Height	11,4 mm (.45 in)	
Product Length	17.45 mm (.687 in)	
Mating Tab Width	.5 mm (.02 in)	NEAMOTEC RESIDENCE
Mating Tab Thickness	.4 mm (.016 in)	
Cable Exit Angle	180°	



Material Specification	
Housing Color	Beige
Ferrule	Without

Electrical Specification		
Connector & Contact Terminates To	Wire & Cable	
Mating Retention	Without	
Circuit Application	Signal	
Impedance (Ω)	100.0	
Termination to Cable	Crimp	
Cable Type	STP	
Nominal Voltage Architecture (V)	60.0	

Environmental Specification	
Sealable	Yes
Shielded	No
Operating Temperature (Max)	105 °C (221 °F)
Operating Temperature Range	-40 − 105 °C (-40 − 221 °F)
Packaging Method	Bag & Box
Operating Frequency Range (GHz)	06

Disclaimer

The information in this specification is subject to change without notice. Please confirm the latest version before use. Technical parameters are for reference only, and sufficient testing and verification should be conducted in actual applications.