



Cable-to-Cable 180° Cable Exit 2 Position A Code Housing for Male Terminals 4 mm (.157 in) Centerline Crimp Data Connectivity Housings

Part Number:

TE-2306498-1







Number of Positions	2		
Series	MATE-AX		
Tcpn	2306498-1		
Product Description	2 P, MATE-AX,PIN HSG, COD A	`	
Mixed & Hybrid Connector	No		
Connector System	Cable-to-Cable		
Number of Rows	1 /		
Keying Code	A PREPARENTE		
Connector Mounting Type	Cable Mount (Free-Hanging)		
Primary Locking Feature	On the Terminal		
Connector & Housing Type	Housing for Male Terminals		
Connector Position Assurance Capable	No		

Mechanical Specification		
Mating Pin Diameter	.4 mm (.016 in)	CAN HINGTED
Centerline (Pitch)	4 mm (.157 in)	
Connector Height	10.75 mm (.423 in)	
Product Length	12 mm (.472 in)	
Product Width	25.7 mm (1.012 in)	
Cable Exit Angle	180°	



Material Specification	
Housing Color	Jet Black
Body Material	PA66 GF30

Electrical Specification	
Connector & Contact Terminates To	Wire & Cable
Termination to Cable	Crimp
Cable Type	RTK 031

Environmental Specification		
Sealable	No	
Shielded	No	
Operating Temperature Range	-40 − 105 °C (-40 − 221 °F)	
Operating Temperature (Max) (°C)	65 70 75 80 85 90 100 105	
Operating Temperature (Max) (°F)	221.0	

Disclaimer

The information in this specification is subject to change without notice. Please confirm the latest version before use. Technical parameters are for reference only, and sufficient testing and verification should be conducted in actual applications.