



Cable-to-Cable 180° Cable Exit 4 Position A Code Housing for Female Terminals 4 mm (.157 in) Centerline Crimp Data Connectivity Housings

Part Number:

TE-2362803-1







Basic Information	
Number of Positions	4
Series	MATE-AX
Tcpn	2362803-1
Product Description	4P,MATE-AX,PIN HSG ASSY,COD A, 1 1 MMCLIP
Connector System	Cable-to-Cable
Number of Rows	2
Keying Code	A
Connector Mounting Type	DIN Rail
Primary Locking Feature	On the Terminal
Connector & Housing Type	Housing for Female Terminals
Connector Position Assurance Capable	No Signature (S)

Mechanical Specification		
Mating Pin Diameter	.4 mm (.016 in)	
Centerline (Pitch)	4 mm (.157 in)	
Cable Exit Angle	180°	

Material Specification	Section 2017	NO. OF THE PARTY O
Housing Color	Jet Black	



Electrical Specification	
Connector & Contact Terminates To	Wire & Cable
Contact Current Rating (Max) (A)	3
Circuit Application	High Speed Data
Termination to Cable	Crimp
Cable Type	Coaxial

Environmental Specification	
Sealable	No
Shielded	No
Operating Temperature (Max)	105 °C (221 °F)
Operating Temperature Range	-40 − 105 °C (-40 − 221 °F)

Disclaimer

The information in this specification is subject to change without notice. Please confirm the latest version before use. Technical parameters are for reference only, and sufficient testing and verification should be conducted in actual applications.