



90 Degree Elbow Adapter NMEA 2000 Micro-C

Part Number:

RHT-634-3400

Basic Information

|                     |                      |
|---------------------|----------------------|
| Connector Type      | Jack, Plug           |
| Number of Positions | 5 Pin                |
| Fastening Type      | Screw Connection     |
| Series              | NMEA 2000 Connectors |
| Key                 | A                    |

Material Specification

|                     |                    |
|---------------------|--------------------|
| Shell Material      | PVC                |
| Contact Material    | Brass, Gold Plated |
| Insulation Material | PA66               |


Electrical Specification

|                       |           |
|-----------------------|-----------|
| Rated Current         | 4A        |
| Rated Voltage         | 60V AC/DC |
| Contact Resistance    | ≤5MΩ      |
| Insulation Resistance | ≥100MΩ    |


Environmental Specification

|                       |          |
|-----------------------|----------|
| Operating Temperature | -25℃~80℃ |
|-----------------------|----------|

Contact Layout



Size



## How to Order



NMEA 2000 CONNECTORS  
90 Degree Elbow Adapter NMEA  
2000 Micro-C



NMEA 2000 CONNECTORS  
High Current 7/8 T-type Splitter  
Female to Male M12 Adapter  
NMEA2000 Connectors



NMEA 2000 CONNECTORS  
NMEA 2000 2 Way Tee Connector



NMEA 2000 CONNECTORS  
NMEA 2000 4 Way Tee Connector



NMEA 2000 CONNECTORS  
NMEA 2000 Single T-Adapter



NMEA 2000 CONNECTORS  
NMEA 2000 Waterproof Mini  
Change 7/8 T-Splitter

## Disclaimer

The information in this specification is subject to change without notice. Please confirm the latest version before use. Technical parameters are for reference only, and sufficient testing and verification should be conducted in actual applications.