



Small Boat 8 Way Self-Contained Cable Boat Network
N2K

Part Number:

RHT-634-3406

Basic Information

Connector Type	Jack, Plug
Number of Positions	5 Pin
Fastening Type	Screw Connection
Series	NMEA 2000 Cables
Key	A

Material Specification

Shell Material	PVC
Contact Material	Brass, Gold Plated
Insulation Material	PA66


Electrical Specification

Rated Current	4A
Rated Voltage	60V AC/DC
Contact Resistance	≤5MΩ
Insulation Resistance	≥100MΩ


Environmental Specification

Operating Temperature	-25℃~80℃
-----------------------	----------

Contact Layout



Size



How to Order



NMEA 2000 CABLES
NMEA 2000 T-Connector 6 Ports
Cable



NMEA 2000 CABLES
NMEA 2000 T-Connector with Cable



NMEA 2000 CABLES
NMEA2000 4-way Splitter Micro-C
Cable



NMEA 2000 CABLES
NMEA2000 Cable for Marine
Electronics Network



NMEA 2000 CABLES
Small Boat 8 Way Self-Contained
Cable Boat Network N2K



NMEA 2000 CABLES
NMEA 2000 7/8" T-Connector T-
Type for Marine Ship



NMEA 2000 CABLES
NMEA 2000 Devicenet Canopen 7/8
Mini Change Cable

Disclaimer

The information in this specification is subject to change without notice. Please confirm the latest version before use. Technical parameters are for reference only, and sufficient testing and verification should be conducted in actual applications.