


TECHNICAL REFERENCE

Technical Drawings


Contact Layout



11-35
13-22D

Size

Square Flange Receptacle (D38999/20)



Shell size	MS Shell size	A max	B max	C max	D Thread	E	F	G	H	J	d1 min	d2 min
9	A	20.9	10.8	2.5	M12×1.0-6g	23.8	18.26	15.09	3.25	5.49	16.66	13.11
11	B	20.9	10.8	2.5	M15×1.0-6g	26.2	20.62	18.26	3.25	4.93	20.22	15.88
13	C	20.9	10.8	2.5	M18×1.0-6g	28.6	23.01	20.62	3.25	4.93	23.42	19.05
15	D	20.9	10.8	2.5	M22×1.0-6g	31.0	24.61	23.01	3.25	4.39	26.59	23.01
17	E	20.9	10.8	2.5	M25×1.0-6g	33.3	26.97	24.61	3.25	4.93	30.96	25.81
19	F	20.9	10.8	2.5	M28×1.0-6g	36.5	29.36	26.97	3.25	4.93	32.94	28.98
21	G	20.1	11.5	3.2	M31×1.0-6g	39.7	31.75	29.36	3.25	4.93	36.12	32.16
23	H	20.1	11.5	3.2	M34×1.0-6g	42.9	34.93	31.75	3.91	6.15	39.29	34.93
25	J	20.1	11.5	3.2	M37×1.0-6g	46.0	38.10	34.93	3.91	6.15	42.47	37.69

Disclaimer

The information in this specification is subject to change without notice. Please confirm the latest version before use. Technical parameters are for reference only, and sufficient testing and verification should be conducted in actual applications.